

Inmate Statistical Profile

Under Death Sentence

Produced for
General Distribution

Georgia Department of Corrections
Operations, Planning, and Training Division
Planning and Analysis Section
02-DEC-10

Table of Contents

| | |
|---------------------------------|---|
| Demographic information | |
| 5 | Current age, broken out in ten year age groups |
| 6 | Race group |
| 7 | Hispanic Origin |
| 8 | Marital status, self-reported at entry to prison |
| 9 | Number of children, self-reported at entry to prison |
| 10 | Religious affiliation, self-reported at entry to prison |
| 11 | Home county - self-reported at entry to prison |
| 13 | Socioeconomic class, self-reported at entry to prison |
| 14 | Environment to age 16, self-reported at entry to prison |
| 15 | Guardian status to age 16, self-reported at entry to prison |
| 16 | Employment status before prison, self-reported at entry to prison |
| 17 | Age at admission |
| 18 | Age at admission |
| 20 | Height, measured at entry to prison |
| 21 | Weight, measured at entry to prison |
| 22 | Military service |
| Correctional information | |
| 23 | Type of admission to prison |
| 24 | Current / last security status |
| 25 | Current / last institution type |
| 26 | Institution type - transitional centers |
| 27 | Institution type - mental hospitals |
| 28 | Institution type - county prisons |
| 29 | Institution type - state prisons |
| 30 | Institution type - private prisons |
| 31 | Institution type - prison annexes |
| 32 | Institution type - pre-release centers |
| 33 | Institution type - inmate boot camp |
| 34 | Number of disciplinary reports |
| 35 | Number of transfers |

Table of Contents

| |
|--|
| Correctional information |
| 36 Time served in current (or last) institution |
| Educational, psychological and physical information |
| 37 Highest grade level attained |
| 38 Culture fair IQ scores |
| 39 Wide Range Achievement Test (WRAT) reading score |
| 40 Wide Range Achievement Test (WRAT) math score |
| 41 Wide Range Achievement Test (WRAT) spelling score |
| 42 Scope of substance abuse - summary |
| 43 Scope of substance abuse - detail |
| 44 Current / last mental health treatment level |
| 45 PULHESDWIT medical scale - 'P' overall condition ('P'hysical) |
| 46 PULHESDWIT medical scale - 'U' upper body |
| 47 PULHESDWIT medical scale - 'L' lower body |
| 48 PULHESDWIT medical scale - 'H' hearing |
| 49 PULHESDWIT medical scale - 'E' vision |
| 50 PULHESDWIT medical scale - 'S' psychiatric |
| 51 PULHESDWIT medical scale - 'D' dental |
| 52 PULHESDWIT medical scale - 'W' work ability |
| 53 PULHESDWIT medical scale - 'I' impairment |
| 54 PULHESDWIT medical scale - 'T' transportability |
| 55 Criminality in family, self-reported |
| 56 Alcoholism in family, self-reported |
| 57 Drug abuse in family, self-reported |
| 58 Subjected to frequent beatings, self-reported |
| 59 Father absent during inmate's childhood |
| 60 Mother absent during inmate's childhood |
| 61 Inmate diagnosed as manipulative |
| 62 Inmate diagnosed as assaultive |
| Crimes and criminal history information |
| 63 Number of prior Georgia incarcerations |

Table of Contents

| |
|--|
| Crimes and criminal history information |
| 64 Prison sentence in years |
| 65 Primary offense, broken out into felonies vs misdemeanors |
| 66 Primary offense, broken out into six broad crime categories |
| 67 Primary offense, detailed offense code |
| 68 County of conviction of primary offense |
| 70 Circuit of conviction of primary offense |
| 71 Years served (jail + prison) in this incarceration |
| Medical information |
| 72 Results of most recent HIV test |
| 73 Results of most recent tuberculosis test |
| 74 Results of most recent syphilis test |
| 75 Results of most recent Hepatitis-C test |

Under Death Sentence

Produced for **General Distribution**

Current age, broken out in ten-year age groups

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Current Age | Male | | | Female | | | Total | |
|-------------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Twenties (20-29) | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| Thirties (30-39) | 30 | 30.00% | 100.00% | | | | 30 | 29.70% |
| Forties (40-49) | 36 | 36.00% | 97.30% | 1 | 100.00% | 2.70% | 37 | 36.63% |
| Fifties (50-59) | 25 | 25.00% | 100.00% | | | | 25 | 24.75% |
| Sixties (60-69) | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-------------|-----------|--------------|
| Mean (average) | 44.7 | 42 | 44.67 |
| Median (middle) | 45 | 42 | 45 |
| Mode (most frequent) | 54 | 42 | 42 |

Under Death Sentence

Produced for **General Distribution**

Race group

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Race Group | Male | | | Female | | | Total | |
|-----------------------|------------|-------------|---------------|----------|-------------|-------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 White | 49 | 49.00% | 98.00% | 1 | 100.00% | 2.00% | 50 | 49.50% |
| 2 Black | 49 | 49.00% | 100.00% | | | | 49 | 48.51% |
| 10 Hispanic | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | .99% | 101 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|--------------|--------------|--------------|
| Mode (most frequent) | White | White | White |
|-----------------------------|--------------|--------------|--------------|

Under Death Sentence

Produced for **General Distribution**

Hispanic Origin

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Hispanic Origin | Male | | | Female | | | Total | |
|-----------------------|------------|-------------|---------------|----------|-------------|-------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Non Hispanic | 98 | 98.00% | 98.99% | 1 | 100.00% | 1.01% | 99 | 98.02% |
| Hispanic | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | .99% | 101 | 100% |

An inmate is counted as Hispanic if

- (a) he self-reported as Hispanic during the diagnostic process, or
- (b) his primary language is Spanish, or
- (c) he claimed birth or citizenship in Spain or a Latin American country, or
- (d) he had a common Spanish surname such as Lopez or Garcia

Under Death Sentence

Produced for **General Distribution**

Marital status, self-reported at entry to prison

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Marital Status | Male | | | Female | | | Total | |
|-----------------------|------------|-------------|---------------|----------|-------------|-------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 0 Unknown | 9 | 9.00% | 100.00% | | | | 9 | 8.91% |
| D Divorced | 17 | 17.00% | 100.00% | | | | 17 | 16.83% |
| M Married | 11 | 11.00% | 100.00% | | | | 11 | 10.89% |
| S Separated | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| U Unmarried | 56 | 56.00% | 100.00% | | | | 56 | 55.45% |
| W Widow | 4 | 4.00% | 80.00% | 1 | 100.00% | 20.00% | 5 | 4.95% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | .99% | 101 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|------------------|--------------|------------------|
| Mode (most frequent) | Unmarried | Widow | Unmarried |
|-----------------------------|------------------|--------------|------------------|

Under Death Sentence

Produced for **General Distribution**

Number of children, self reported at entry to prison

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Number of Children | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 0 | 16 | 23.53% | 100.00% | | | | 16 | 23.19% |
| 1 | 25 | 36.76% | 100.00% | | | | 25 | 36.23% |
| 2 | 10 | 14.71% | 100.00% | | | | 10 | 14.49% |
| 3 | 8 | 11.76% | 88.89% | 1 | 100.00% | 11.11% | 9 | 13.04% |
| 4 | 5 | 7.35% | 100.00% | | | | 5 | 7.25% |
| 5 | 2 | 2.94% | 100.00% | | | | 2 | 2.90% |
| 8 | 1 | 1.47% | 100.00% | | | | 1 | 1.45% |
| 9 | 1 | 1.47% | 100.00% | | | | 1 | 1.45% |
| Total Reported | 68 | 100% | 98.55% | 1 | 100% | 1.45% | 69 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 32 | | | 0 | | | 32 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | | | | | | |
|-----------------------------|-------------|--|--|----------|--|--|-------------|--|
| Mean (average) | 1.71 | | | 3 | | | 1.72 | |
| Median (middle) | 1 | | | 3 | | | 1 | |
| Mode (most frequent) | 1 | | | 3 | | | 1 | |

Under Death Sentence

Produced for **General Distribution**

Religious affiliation, self-reported at entry to prison

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Religious Affiliation | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Islam | 5 | 6.25% | 100.00% | | | | 5 | 6.17% |
| 2 Catholic | 3 | 3.75% | 100.00% | | | | 3 | 3.70% |
| 3 Baptist | 40 | 50.00% | 97.56% | 1 | 100.00% | 2.44% | 41 | 50.62% |
| 4 Methodist | 3 | 3.75% | 100.00% | | | | 3 | 3.70% |
| 7 Chc Of God | 2 | 2.50% | 100.00% | | | | 2 | 2.47% |
| 8 Holiness | 2 | 2.50% | 100.00% | | | | 2 | 2.47% |
| 9 Jewish | 1 | 1.25% | 100.00% | | | | 1 | 1.23% |
| 17 Jehovah Wt | 2 | 2.50% | 100.00% | | | | 2 | 2.47% |
| 20 Other Prot | 10 | 12.50% | 100.00% | | | | 10 | 12.35% |
| 96 None | 12 | 15.00% | 100.00% | | | | 12 | 14.81% |
| Total Reported | 80 | 100% | 98.77% | 1 | 100% | 1.23% | 81 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 20 | 0 | 20 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|----------------|----------------|----------------|
| Mode (most frequent) | Baptist | Baptist | Baptist |
|-----------------------------|----------------|----------------|----------------|

Under Death Sentence

Produced for **General Distribution**

Home county, self-reported at entry to prison

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Home County | Male | | | Female | | | Total | |
|--------------|-------|-------|---------|--------|---------|--------|-------|-------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Appling | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 3 Bacon | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 5 Baldwin | 5 | 6.85% | 100.00% | | | | 5 | 6.76% |
| 7 Barrow | 1 | 1.37% | 50.00% | 1 | 100.00% | 50.00% | 2 | 2.70% |
| 8 Bartow | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 11 Bibb | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 14 Brooks | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 17 Burke | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 18 Butts | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 25 Chatham | 4 | 5.48% | 100.00% | | | | 4 | 5.41% |
| 31 Clayton | 4 | 5.48% | 100.00% | | | | 4 | 5.41% |
| 33 Cobb | 5 | 6.85% | 100.00% | | | | 5 | 6.76% |
| 40 Crisp | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 42 Dawson | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 44 DeKalb | 5 | 6.85% | 100.00% | | | | 5 | 6.76% |
| 47 Dougherty | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 48 Douglas | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 52 Elbert | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 57 Floyd | 3 | 4.11% | 100.00% | | | | 3 | 4.05% |
| 60 Fulton | 5 | 6.85% | 100.00% | | | | 5 | 6.76% |
| 63 Glynn | 2 | 2.74% | 100.00% | | | | 2 | 2.70% |
| 64 Gordon | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 67 Gwinnett | 2 | 2.74% | 100.00% | | | | 2 | 2.70% |
| 75 Henry | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 76 Houston | 2 | 2.74% | 100.00% | | | | 2 | 2.70% |
| 78 Jackson | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 84 Jones | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 93 Lumpkin | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 94 Macon | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 102 Monroe | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 105 Murray | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 106 Muscogee | 3 | 4.11% | 100.00% | | | | 3 | 4.05% |
| 107 Newton | 2 | 2.74% | 100.00% | | | | 2 | 2.70% |
| 110 Paulding | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 112 Pickens | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 121 Richmond | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 126 Spalding | 2 | 2.74% | 100.00% | | | | 2 | 2.70% |
| 134 Telfair | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |

Under Death Sentence

Produced for **General Distribution**

Home county, self-reported at entry to prison

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Home County | Male | | | Female | | | Total | |
|----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 136 Thomas | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 139 Towns | 1 | 1.37% | 100.00% | | | | 1 | 1.35% |
| 148 Ware | 2 | 2.74% | 100.00% | | | | 2 | 2.70% |
| Total Rported | 73 | 100% | 98.65% | 1 | 100% | 1.35% | 74 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 27 | 0 | 27 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-------------|---------------|-------------|
| Mode (most frequent) | Cobb | Barrow | Cobb |
|-----------------------------|-------------|---------------|-------------|

Under Death Sentence

Produced for **General Distribution**

Socioeconomic class, self-reported at entry to prison

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Socioeconomic Class | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Welfare | 10 | 10.99% | 100.00% | | | | 10 | 10.87% |
| 2 Occ Employ | 2 | 2.20% | 100.00% | | | | 2 | 2.17% |
| 3 Minimum Std | 30 | 32.97% | 96.77% | 1 | 100.00% | 3.23% | 31 | 33.70% |
| 4 Middle | 49 | 53.85% | 100.00% | | | | 49 | 53.26% |
| Total Reported | 91 | 100% | 98.91% | 1 | 100% | 1.09% | 92 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 9 | 0 | 9 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|---------------|--------------------|---------------|
| Mode (most frequent) | Middle | Minimum Std | Middle |
|-----------------------------|---------------|--------------------|---------------|

Under Death Sentence

Produced for **General Distribution**

Environment to age 16, self-reported at entry to prison

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Environment to age 16 | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Rural/Farm | 8 | 8.99% | 88.89% | 1 | 100.00% | 11.11% | 9 | 10.00% |
| 2 Rural/Nfarm | 13 | 14.61% | 100.00% | | | | 13 | 14.44% |
| 3 S.M.S.A | 27 | 30.34% | 100.00% | | | | 27 | 30.00% |
| 4 Urban | 20 | 22.47% | 100.00% | | | | 20 | 22.22% |
| 5 Small Town | 21 | 23.60% | 100.00% | | | | 21 | 23.33% |
| Total Reported | 89 | 100% | 98.89% | 1 | 100% | 1.11% | 90 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 11 | 0 | 11 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|----------------|-------------------|----------------|
| Mode (most frequent) | S.M.S.A | Rural/Farm | S.M.S.A |
|-----------------------------|----------------|-------------------|----------------|

Under Death Sentence

Produced for **General Distribution**

Guardian status to age 16, self-reported at entry to prison

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Guardian Status To Age 16 | Male | | | Female | | | Total | |
|---------------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 2 Father Only | 3 | 3.75% | 100.00% | | | | 3 | 3.70% |
| 3 Both Parents | 42 | 52.50% | 100.00% | | | | 42 | 51.85% |
| 4 Mother Only | 25 | 31.25% | 96.15% | 1 | 100.00% | 3.85% | 26 | 32.10% |
| 6 Oth Female | 2 | 2.50% | 100.00% | | | | 2 | 2.47% |
| 8 Step-Parents | 2 | 2.50% | 100.00% | | | | 2 | 2.47% |
| 9 Foster Home | 3 | 3.75% | 100.00% | | | | 3 | 3.70% |
| 10 Grand Parents | 3 | 3.75% | 100.00% | | | | 3 | 3.70% |
| Total Reported | 80 | 100% | 98.77% | 1 | 100% | 1.23% | 81 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 20 | 0 | 20 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|---------------------|--------------------|---------------------|
| Mode (most frequent) | Both Parents | Mother Only | Both Parents |
|-----------------------------|---------------------|--------------------|---------------------|

Under Death Sentence

Produced for **General Distribution**

Employment status before prison, self-reported at entry to prison

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Employment Status | Male | | | Female | | | Total | |
|-------------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Full Time | 31 | 39.74% | 96.88% | 1 | 100.00% | 3.13% | 32 | 40.51% |
| 2 Part Time | 6 | 7.69% | 100.00% | | | | 6 | 7.59% |
| 3 Unempl < 6m | 16 | 20.51% | 100.00% | | | | 16 | 20.25% |
| 4 Unempl > 6m | 17 | 21.79% | 100.00% | | | | 17 | 21.52% |
| 5 Never Workd | 5 | 6.41% | 100.00% | | | | 5 | 6.33% |
| 7 Incapable | 3 | 3.85% | 100.00% | | | | 3 | 3.80% |
| Total Reported | 78 | 100% | 98.73% | 1 | 100% | 1.27% | 79 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 22 | 0 | 22 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|------------------|------------------|------------------|
| Mode (most frequent) | Full Time | Full Time | Full Time |
|-----------------------------|------------------|------------------|------------------|

Under Death Sentence

Produced for **General Distribution**

Age at admission

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Age At Admission | Male | | | Female | | | Total | |
|-----------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 18 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 19 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 20 | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 21 | 8 | 8.00% | 100.00% | | | | 8 | 7.92% |
| 22 | 8 | 8.00% | 100.00% | | | | 8 | 7.92% |
| 23 | 5 | 5.00% | 100.00% | | | | 5 | 4.95% |
| 24 | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| 25 | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| 26 | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| 27 | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 28 | 7 | 7.00% | 100.00% | | | | 7 | 6.93% |
| 29 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 30 | 3 | 3.00% | 75.00% | 1 | 100.00% | 25.00% | 4 | 3.96% |
| 31 | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| 32 | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| 33 | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 34 | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 35 | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 36 | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 37 | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 38 | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 40 | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 45 | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 46 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 47 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 48 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 49 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 51 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 52 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 57 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 59 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 62 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|------------------------|--------------|-----------|--------------|
| Mean (average) | 30.22 | 30 | 30.22 |
| Median (middle) | 28 | 30 | 28 |

Under Death Sentence

Produced for **General Distribution**

Age at admission

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| | Male | Female | Total |
|---------------|------|--------|-------|
| Most frequent | 22 | | |
| Grand Total | | | |

Under Death Sentence

Produced for **General Distribution**

Height, measured at entry to prison

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Height | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 5'02" | 1 | 1.75% | 100.00% | | | | 1 | 1.72% |
| 5'05" | 2 | 3.51% | 100.00% | | | | 2 | 3.45% |
| 5'06" | 2 | 3.51% | 100.00% | | | | 2 | 3.45% |
| 5'07" | 5 | 8.77% | 100.00% | | | | 5 | 8.62% |
| 5'08" | 4 | 7.02% | 100.00% | | | | 4 | 6.90% |
| 5'09" | 4 | 7.02% | 100.00% | | | | 4 | 6.90% |
| 5'10" | 14 | 24.56% | 93.33% | 1 | 100.00% | 6.67% | 15 | 25.86% |
| 5'11" | 16 | 28.07% | 100.00% | | | | 16 | 27.59% |
| 6'00" | 4 | 7.02% | 100.00% | | | | 4 | 6.90% |
| 6'01" | 2 | 3.51% | 100.00% | | | | 2 | 3.45% |
| 6'02" | 2 | 3.51% | 100.00% | | | | 2 | 3.45% |
| 6'04" | 1 | 1.75% | 100.00% | | | | 1 | 1.72% |
| Total Reported | 57 | 100% | 98.28% | 1 | 100% | 1.72% | 58 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 43 | 0 | 43 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|--------------|--------------|--------------|
| Mean (average) | 5'10" | 5'10" | 5'10" |
| Median (middle) | 5'10" | 5'10" | 5'10" |
| Mode (most frequent) | 5'11" | 5'10" | 5'11" |

Under Death Sentence

Produced for **General Distribution**

Weight, measured at entry to prison

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Weight | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 130 - 139 pounds | 1 | 1.59% | 100.00% | | | | 1 | 1.56% |
| 140 - 149 pounds | 1 | 1.59% | 100.00% | | | | 1 | 1.56% |
| 150 - 159 pounds | 3 | 4.76% | 75.00% | 1 | 100.00% | 25.00% | 4 | 6.25% |
| 160 - 169 pounds | 4 | 6.35% | 100.00% | | | | 4 | 6.25% |
| 170 - 179 pounds | 9 | 14.29% | 100.00% | | | | 9 | 14.06% |
| 180 - 189 pounds | 18 | 28.57% | 100.00% | | | | 18 | 28.13% |
| 190 - 199 pounds | 6 | 9.52% | 100.00% | | | | 6 | 9.38% |
| 200 - 209 pounds | 5 | 7.94% | 100.00% | | | | 5 | 7.81% |
| 210 - 219 pounds | 1 | 1.59% | 100.00% | | | | 1 | 1.56% |
| 220 - 229 pounds | 7 | 11.11% | 100.00% | | | | 7 | 10.94% |
| 230 - 239 pounds | 1 | 1.59% | 100.00% | | | | 1 | 1.56% |
| 250 - 259 pounds | 3 | 4.76% | 100.00% | | | | 3 | 4.69% |
| 260 - 269 pounds | 2 | 3.17% | 100.00% | | | | 2 | 3.13% |
| 280 - 289 pounds | 1 | 1.59% | 100.00% | | | | 1 | 1.56% |
| 310 - 319 pounds | 1 | 1.59% | 100.00% | | | | 1 | 1.56% |
| Total Reported | 63 | 100% | 98.44% | 1 | 100% | 1.56% | 64 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 37 | 0 | 37 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|------------|------------|------------|
| Mean (average) | 195 | 150 | 195 |
| Median (middle) | 185 | 150 | 185 |
| Mode (most frequent) | 180 | 150 | 180 |

Under Death Sentence

Produced for **General Distribution**

Military service

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Military service | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Air Force | 9 | 12.16% | 90.00% | 1 | 100.00% | 10.00% | 10 | 13.33% |
| 3 Navy | 4 | 5.41% | 100.00% | | | | 4 | 5.33% |
| 5 Coast Guard | 1 | 1.35% | 100.00% | | | | 1 | 1.33% |
| 96 None | 60 | 81.08% | 100.00% | | | | 60 | 80.00% |
| Total Reported | 74 | 100% | 98.67% | 1 | 100% | 1.33% | 75 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 26 | 0 | 26 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|------------------|------------------|------------------|
| Mode (most frequent) | Air Force | Air Force | Air Force |
|-----------------------------|------------------|------------------|------------------|

Under Death Sentence

Produced for **General Distribution**

Type of admission to prison

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Type of Admission | Male | | | Female | | | Total | |
|-------------------------------|------------|-------------|---------------|----------|-------------|-------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Committed From Court | 100 | 100.00% | 99.01% | 1 | 100.00% | .99% | 101 | 100.00% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | .99% | 101 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | | | | | | |
|-----------------------------|-------------------|--|--|-------------------|--|--|-------------------|--|
| Mode (most frequent) | Court Cmmt | | | Court Cmmt | | | Court Cmmt | |
|-----------------------------|-------------------|--|--|-------------------|--|--|-------------------|--|

Under Death Sentence

Produced for **General Distribution**

Current / last security status

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Security Status | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 5 Close | 1 | 1.08% | 50.00% | 1 | 100.00% | 50.00% | 2 | 2.13% |
| 6 Maximum | 92 | 98.92% | 100.00% | | .00% | | 92 | 97.87% |
| Total Reported | 93 | 100% | 98.94% | 1 | 100% | 1.06% | 94 | 100% |

| | | | | | | | | |
|------------------------------|------------|--|--|----------|--|--|------------|--|
| Still being diagnosed | 7 | | | 0 | | | 7 | |
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | | | | | | |
|-----------------------------|----------------|--|--|--------------|--|--|----------------|--|
| Mode (most frequent) | Maximum | | | Close | | | Maximum | |
|-----------------------------|----------------|--|--|--------------|--|--|----------------|--|

Under Death Sentence

Produced for **General Distribution**

Current / last type of institution

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Type of Institution | Male | | | Female | | | Total | |
|-----------------------|------------|-------------|---------------|----------|-------------|-------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| State Prison | 100 | 100.00% | 99.01% | 1 | 100.00% | .99% | 101 | 100.00% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | .99% | 101 | 100% |

| | | | | | | | | |
|--------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | |
|-----------------------------|---------------------|---------------------|---------------------|
| Mode (most frequent) | State Prison | State Prison | State Prison |
|-----------------------------|---------------------|---------------------|---------------------|

Under Death Sentence

Produced for **General Distribution**

Institution type - transitional centers

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Institution Type - Trans. Centers | Male | | | Female | | | Total | |
|--|--------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Total Reported | | | | | | | | |

| | | | | | | | | |
|---------------------|----------|--|--|----------|--|--|----------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | | | | | | | | |

| | | | | | | | | |
|-----------------------------|-------------|--|--|-------------|--|--|-------------|--|
| Mode (most frequent) | Null | | | Null | | | Null | |
|-----------------------------|-------------|--|--|-------------|--|--|-------------|--|

Under Death Sentence

Produced for **General Distribution**

Institution type - mental hospitals

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Institution Type - Mental Hospitals | Male | | | Female | | | Total | |
|-------------------------------------|-------|-------|-------|--------|-------|-------|-------|-------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Total Reported | | | | | | | | |

| | | | | | | | | |
|---------------------|----------|--|--|----------|--|--|----------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | | | | | | | | |

| | | | | | | | | |
|-----------------------------|-------------|--|--|-------------|--|--|-------------|--|
| Mode (most frequent) | Null | | | Null | | | Null | |
|-----------------------------|-------------|--|--|-------------|--|--|-------------|--|

Under Death Sentence

Produced for **General Distribution**

Institution type - county prisons

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Institution Type - County Prisons | Male | | | Female | | | Total | |
|-----------------------------------|-------------|-------|-------|-------------|-------|-------|-------------|-------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Total Reported | | | | | | | | |
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | | | | | | | | |
| Mode (most frequent) | Null | | | Null | | | Null | |

Under Death Sentence

Produced for **General Distribution**

Institution type - state prisons

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Institution Type - State Prisons | Male | | | Female | | | Total | |
|--|------------|-------------|---------------|----------|-------------|-------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 521 Ga Diag & Class Pris | 99 | 99.00% | 100.00% | | | | 99 | 98.02% |
| 522 Ga Diag & Class Pris-Perm | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 554 Metro State Prison (W) | | | | 1 | 100.00% | 100.00% | 1 | .99% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | .99% | 101 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-------------------------------------|-----------------------------------|-------------------------------------|
| Mode (most frequent) | 521 Ga Diag & Class Pris | 554 Metro State Prison (W) | 521 Ga Diag & Class Pris |
|-----------------------------|-------------------------------------|-----------------------------------|-------------------------------------|

Under Death Sentence

Produced for **General Distribution**

Institution type - private prisons

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Institution Type - Private Prisons | Male | | | Female | | | Total | |
|---|--------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Total Reported | | | | | | | | |
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | | | | | | | | |
| Mode (most frequent) | Null | | | Null | | | Null | |

Under Death Sentence

Produced for **General Distribution**

Institution type - prison annexes

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Institution Type - Prison Annexes | Male | | | Female | | | Total | |
|-----------------------------------|-------|-------|-------|--------|-------|-------|-------|-------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Total Reported | | | | | | | | |
| Not Reported | | | | | | | | |
| Grand Total | | | | | | | | |
| Mode (most frequent) | Null | | | Null | | | Null | |

Under Death Sentence

Produced for **General Distribution**

Institution type - pre-release centers

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Institution Type - Prison Annex | Male | | | Female | | | Total | |
|---------------------------------|-------------|-------|-------|-------------|-------|-------|-------------|-------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Total Reported | | | | | | | | |
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | | | | | | | | |
| Mode (most frequent) | Null | | | Null | | | Null | |

Under Death Sentence

Produced for **General Distribution**

Institution type - inmate boot camp

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Institution Type - Boot Camps | Male | | | Female | | | Total | |
|-------------------------------|-------|-------|-------|--------|-------|-------|-------|-------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Total Rported | | | | | | | | |

| | | | | | | | | |
|---------------------|----------|--|--|----------|--|--|----------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | | | | | | | | |

| | | | | | | | | |
|-----------------------------|-------------|--|--|-------------|--|--|-------------|--|
| Mode (most frequent) | Null | | | Null | | | Null | |
|-----------------------------|-------------|--|--|-------------|--|--|-------------|--|

Under Death Sentence

Produced for **General Distribution**

Number of disciplinary reports

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Number of Disciplinary Reports | Male | | | Female | | | Total | |
|--------------------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 0 | 15 | 15.00% | 100.00% | | | | 15 | 14.85% |
| 1 | 13 | 13.00% | 100.00% | | | | 13 | 12.87% |
| 2 | 10 | 10.00% | 100.00% | | | | 10 | 9.90% |
| 3 | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| 4 | 10 | 10.00% | 100.00% | | | | 10 | 9.90% |
| 5 | 7 | 7.00% | 100.00% | | | | 7 | 6.93% |
| More Than 5 | 41 | 41.00% | 97.62% | 1 | 100.00% | 2.38% | 42 | 41.58% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-------------|----------|-------------|
| Mean (average) | 7.77 | 6 | 7.75 |
| Median (middle) | 4 | 6 | 4 |
| Mode (most frequent) | 0 | 6 | 0 |

Under Death Sentence

Produced for **General Distribution**

Number of transfers

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Number of Transfers | Male | | | Female | | | Total | |
|-----------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 0 | 75 | 75.00% | 98.68% | 1 | 100.00% | 1.32% | 76 | 75.25% |
| 1 | 16 | 16.00% | 100.00% | | | | 16 | 15.84% |
| 2 | 5 | 5.00% | 100.00% | | | | 5 | 4.95% |
| 3 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 4 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 5 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| More Than 5 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|------------|----------|------------|
| Mean (average) | .44 | | .44 |
| Median (middle) | 0 | 0 | 0 |
| Mode (most frequent) | 0 | 0 | 0 |

Under Death Sentence

Produced for **General Distribution**

Time served in current (or last) institution

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Time In Institution | Male | | | Female | | | Total | |
|-----------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 3.01 to 6 months | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 6.01 to 9 months | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 12.01 to 18 months | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 2.01 to 3 years | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| 3.01 to 4 years | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| 5.01 to 6 years | 5 | 5.00% | 100.00% | | | | 5 | 4.95% |
| 6.01 to 7 years | 5 | 5.00% | 100.00% | | | | 5 | 4.95% |
| 7.01 to 8 years | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 8.01 to 9 years | 7 | 7.00% | 100.00% | | | | 7 | 6.93% |
| 9.01 to 10 years | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| Over 10 years | 66 | 66.00% | 98.51% | 1 | 100.00% | 1.49% | 67 | 66.34% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-------------------|-------------------|-------------------|
| Mean (average) | 164 months | 145 months | 164 months |
| Median (middle) | 158 months | 145 months | 158 months |
| Mode (most frequent) | 101 months | 5 months | 4 months |

Under Death Sentence

Produced for **General Distribution**

Highest grade level attained

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Grade Level | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|---------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Grade 4 | 1 | 1.11% | 100.00% | | | | 1 | 1.10% |
| Grade 6 | 1 | 1.11% | 100.00% | | | | 1 | 1.10% |
| Grade 7 | 10 | 11.11% | 100.00% | | | | 10 | 10.99% |
| Grade 8 | 8 | 8.89% | 100.00% | | | | 8 | 8.79% |
| Grade 9 | 12 | 13.33% | 100.00% | | | | 12 | 13.19% |
| Grade 10 | 11 | 12.22% | 100.00% | | | | 11 | 12.09% |
| Grade 11 | 13 | 14.44% | 100.00% | | | | 13 | 14.29% |
| Grade 12 or GED | 18 | 20.00% | 94.74% | 1 | 100.00% | 5.26% | 19 | 20.88% |
| Some tech school | 3 | 3.33% | 100.00% | | | | 3 | 3.30% |
| Completed tech school | 1 | 1.11% | 100.00% | | | | 1 | 1.10% |
| College, 2 year | 7 | 7.78% | 100.00% | | | | 7 | 7.69% |
| Bachelor's degree | 4 | 4.44% | 100.00% | | | | 4 | 4.40% |
| Master's degree | 1 | 1.11% | 100.00% | | | | 1 | 1.10% |
| Total Reported | 90 | 100% | 98.90% | 1 | 100% | 1.10% | 91 | 100.0% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 10 | 0 | 10 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|------------------------|------------------------|------------------------|
| Mean (average) | 10.6 | 12 | 10.62 |
| Median (middle) | Grade 11 | Grade 12 or GED | Grade 11 |
| Mode (most frequent) | Grade 12 or GED | Grade 12 or GED | Grade 12 or GED |

Under Death Sentence

Produced for **General Distribution**

Culture fair IQ scores

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| IQ Scores | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|---------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 60 - 69 | 1 | 3.85% | 100.00% | | | | 1 | 3.70% |
| 70 - 79 | 2 | 7.69% | 100.00% | | | | 2 | 7.41% |
| 80 - 89 | 2 | 7.69% | 100.00% | | | | 2 | 7.41% |
| 90 - 99 | 7 | 26.92% | 100.00% | | | | 7 | 25.93% |
| 100 - 109 | 4 | 15.38% | 80.00% | 1 | 100.00% | 20.00% | 5 | 18.52% |
| 110 - 119 | 8 | 30.77% | 100.00% | | | | 8 | 29.63% |
| 120 - 129 | 2 | 7.69% | 100.00% | | | | 2 | 7.41% |
| Total Reported | 26 | 100% | 96.30% | 1 | 100% | 3.70% | 27 | 100.0% |

| | | | | | | | | |
|-----------------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 74 | | | 0 | | | 74 | |
| Not Valid (under 60) | 0 | | | 0 | | | 0 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | | | | | | |
|-----------------------------|------------|--|--|------------|--|--|------------|--|
| Mean (average) | 102 | | | 105 | | | 102 | |
| Median (middle) | 103 | | | 105 | | | 103 | |
| Mode (most frequent) | 113 | | | 105 | | | 113 | |

Under Death Sentence

Produced for **General Distribution**

Wide Range Achievement Test (WRAT) reading score

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| WRAT Reading Score | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 3.0 to 3.9 | 1 | 3.70% | 100.00% | | | | 1 | 3.57% |
| 4.0 to 4.9 | 2 | 7.41% | 100.00% | | | | 2 | 7.14% |
| 5.0 to 5.9 | 3 | 11.11% | 100.00% | | | | 3 | 10.71% |
| 6.0 to 6.9 | 2 | 7.41% | 100.00% | | | | 2 | 7.14% |
| 7.0 to 7.9 | 2 | 7.41% | 100.00% | | | | 2 | 7.14% |
| 8.0 to 8.9 | 2 | 7.41% | 66.67% | 1 | 100.00% | 33.33% | 3 | 10.71% |
| 9.0 to 9.9 | 2 | 7.41% | 100.00% | | | | 2 | 7.14% |
| 10.0 to 10.9 | 1 | 3.70% | 100.00% | | | | 1 | 3.57% |
| 11.0 to 11.9 | 2 | 7.41% | 100.00% | | | | 2 | 7.14% |
| 12.0 to 12.9 | 10 | 37.04% | 100.00% | | | | 10 | 35.71% |
| Total Reported | 27 | 100% | 96.43% | 1 | 100% | 3.57% | 28 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 73 | 0 | 73 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-------------|------------|-------------|
| Mean (average) | 9.39 | 8.5 | 9.35 |
| Median (middle) | 9.2 | 8.5 | 9.2 |
| Mode (most frequent) | 12.8 | 8.5 | 12.8 |

Under Death Sentence

Produced for **General Distribution**

Wide Range Achievement Test (WRAT) math score

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| WRAT Mathematic Score | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|---------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 3.0 to 3.9 | 2 | 7.41% | 100.00% | | | | 2 | 7.14% |
| 4.0 to 4.9 | 2 | 7.41% | 100.00% | | | | 2 | 7.14% |
| 5.0 to 5.9 | 4 | 14.81% | 100.00% | | | | 4 | 14.29% |
| 6.0 to 6.9 | 4 | 14.81% | 100.00% | | | | 4 | 14.29% |
| 7.0 to 7.9 | 2 | 7.41% | 100.00% | | | | 2 | 7.14% |
| 8.0 to 8.9 | 1 | 3.70% | 100.00% | | | | 1 | 3.57% |
| 9.0 to 9.9 | 3 | 11.11% | 75.00% | 1 | 100.00% | 25.00% | 4 | 14.29% |
| 10.0 to 10.9 | 4 | 14.81% | 100.00% | | | | 4 | 14.29% |
| 11.0 to 11.9 | 4 | 14.81% | 100.00% | | | | 4 | 14.29% |
| 12.0 to 12.9 | 1 | 3.70% | 100.00% | | | | 1 | 3.57% |
| Total Reported | 27 | 100% | 96.43% | 1 | 100% | 3.57% | 28 | 100.0% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 73 | 0 | 73 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-------------|------------|-------------|
| Mean (average) | 8.00 | 9.8 | 8.07 |
| Median (middle) | 7.8 | 9.8 | 8 |
| Mode (most frequent) | 9.8 | 9.8 | 9.8 |

Under Death Sentence

Produced for **General Distribution**

Wide Range Achievement Test (WRAT) spelling score

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| WRAT Spelling Score | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 3.0 to 3.9 | 3 | 11.11% | 100.00% | | | | 3 | 10.71% |
| 4.0 to 4.9 | 5 | 18.52% | 100.00% | | | | 5 | 17.86% |
| 5.0 to 5.9 | 5 | 18.52% | 100.00% | | | | 5 | 17.86% |
| 6.0 to 6.9 | 2 | 7.41% | 66.67% | 1 | 100.00% | 33.33% | 3 | 10.71% |
| 8.0 to 8.9 | 2 | 7.41% | 100.00% | | | | 2 | 7.14% |
| 9.0 to 9.9 | 2 | 7.41% | 100.00% | | | | 2 | 7.14% |
| 11.0 to 11.9 | 1 | 3.70% | 100.00% | | | | 1 | 3.57% |
| 12.0 to 12.9 | 7 | 25.93% | 100.00% | | | | 7 | 25.00% |
| Total Reported | 27 | 100% | 96.43% | 1 | 100% | 3.57% | 28 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 73 | 0 | 73 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-------------|------------|-------------|
| Mean (average) | 7.83 | 6.4 | 7.78 |
| Median (middle) | 6 | 6.4 | 6.2 |
| Mode (most frequent) | 12.8 | 6.4 | 12.8 |

Under Death Sentence

Produced for **General Distribution**

Scope of substance abuse - summary

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Substance Abuse | Male | | | Female | | | Total | |
|-----------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| None | 39 | 39.00% | 97.50% | 1 | 100.00% | 2.50% | 40 | 39.60% |
| Drugs only | 29 | 29.00% | 100.00% | | | | 29 | 28.71% |
| Alcohol only | 5 | 5.00% | 100.00% | | | | 5 | 4.95% |
| Drugs and alcohol | 27 | 27.00% | 100.00% | | | | 27 | 26.73% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | | | | | | |
|--------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | | | | | | |
|-----------------------------|-------------|--|--|-------------|--|--|-------------|--|
| Mode (most frequent) | None | | | None | | | None | |
|-----------------------------|-------------|--|--|-------------|--|--|-------------|--|

Under Death Sentence

Produced for General Distribution

Scope of substance abuse - detail

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Substance Abuse | Male | | | Female | | | Total | |
|-----------------------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| No drug or alcohol problems | 39 | 39.00% | 97.50% | 1 | 100.00% | 2.50% | 40 | 39.60% |
| No drug problem but alcohol abuse | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| No drug problem but alcoholism | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| Drug experient but no alcohol | 12 | 12.00% | 100.00% | | | | 12 | 11.88% |
| Drug experient & alcohol abuse | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| Drug experient & alcoholism | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| Drug abuse but no alcohol | 17 | 17.00% | 100.00% | | | | 17 | 16.83% |
| Drug abuse and alcohol abuse | 14 | 14.00% | 100.00% | | | | 14 | 13.86% |
| Drug abuse and alcoholism | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | |
|--------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Mode (most frequent) | No drug or alcohol problems | No drug or alcohol problems | No drug or alcohol problems |
|-----------------------------|-----------------------------|-----------------------------|-----------------------------|

Under Death Sentence

Produced for **General Distribution**

Current / last mental health treatment level

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Mental Health Treatment Lev | Male | | | Female | | | Total | |
|---|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 No problem at current time | 14 | 23.73% | 100.00% | | | | 14 | 23.33% |
| 2 Receiving outpatient treatment | 37 | 62.71% | 97.37% | 1 | 100.00% | 2.63% | 38 | 63.33% |
| 3 Inpatient, moderate treatment | 6 | 10.17% | 100.00% | | | | 6 | 10.00% |
| 4 Inpatient, intensive treatment | 2 | 3.39% | 100.00% | | | | 2 | 3.33% |
| Total Evaluated | 59 | 100% | 98.33% | 1 | 100% | 1.67% | 60 | 100% |

| | | | |
|--------------------------------|------------|----------|------------|
| Never had MH evaluation | 41 | 0 | 41 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Median (middle) | Receiving outpatient treatment | Receiving outpatient treatment | Receiving outpatient treatment |
| Mode (most frequent) | Receiving outpatient treatment | Receiving outpatient treatment | Receiving outpatient treatment |

Under Death Sentence

Produced for **General Distribution**

PULHESDWIT medical scale - 'P' overall condition ('P'hysical)

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| 'P' Overall Condition | Male | | | Female | | | Total | |
|--|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 No medical illness | 32 | 64.00% | 96.97% | 1 | 100.00% | 3.03% | 33 | 64.71% |
| 2 Well-controlled chronic illness | 13 | 26.00% | 100.00% | | | | 13 | 25.49% |
| 3 Poorly-controlled chronic illness | 5 | 10.00% | 100.00% | | | | 5 | 9.80% |
| Total Reported | 50 | 100% | 98.04% | 1 | 100% | 1.96% | 51 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 50 | 0 | 50 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Mode (most frequent) | 1 No medical illness | 1 No medical illness | 1 No medical illness |
|-----------------------------|-----------------------------|-----------------------------|-----------------------------|

Under Death Sentence

Produced for **General Distribution**

PULHESDWIT medical scale - 'U' upper body

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| 'U' Upper Body | Male | | | Female | | | Total | |
|--|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Upper bones, joints, muscles all OK | 49 | 98.00% | 98.00% | 1 | 100.00% | 2.00% | 50 | 98.04% |
| 2 One or both arms minimally limited | 1 | 2.00% | 100.00% | | | | 1 | 1.96% |
| Total Reported | 50 | 100% | 98.04% | 1 | 100% | 1.96% | 51 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 50 | 0 | 50 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|--|--|--|
| Mode (most frequent) | 1 Upper bones, joints, muscles all OK | 1 Upper bones, joints, muscles all OK | 1 Upper bones, joints, muscles all OK |
|-----------------------------|--|--|--|

Under Death Sentence

Produced for **General Distribution**

PULHESDWIT medical scale - 'L' lower body

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| 'L' Lower Body | Male | | | Female | | | Total | |
|--|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Lower bones, joints, muscles all OK | 44 | 88.00% | 97.78% | 1 | 100.00% | 2.22% | 45 | 88.24% |
| 2 One or both legs minimally limited | 6 | 12.00% | 100.00% | | | | 6 | 11.76% |
| Total Reported | 50 | 100% | 98.04% | 1 | 100% | 1.96% | 51 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 50 | 0 | 50 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|--|--|--|
| Mode (most frequent) | 1 Lower bones, joints, muscles all OK | 1 Lower bones, joints, muscles all OK | 1 Lower bones, joints, muscles all OK |
|-----------------------------|--|--|--|

Under Death Sentence

Produced for **General Distribution**

PULHESDWIT medical scale - 'H' hearing

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| | Male | | | Female | | | Total | |
|-----------------------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 'H' Hearing | | | | | | | | |
| 1 Normal hearing both ears | 50 | 100.00% | 98.04% | 1 | 100.00% | 1.96% | 51 | 100.00% |
| Total Reported | 50 | 100% | 98.04% | 1 | 100% | 1.96% | 51 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 50 | | | 0 | | | 50 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | |
|-----------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Mode (most frequent) | 1 Normal hearing both ears | 1 Normal hearing both ears | 1 Normal hearing both ears |
|-----------------------------|-----------------------------------|-----------------------------------|-----------------------------------|

Under Death Sentence

Produced for **General Distribution**

PULHESDWIT medical scale - 'E' vision

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| 'E' Vision | Male | | | Female | | | Total | |
|--|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Correctable to 20/40 in both eyes | 42 | 84.00% | 97.67% | 1 | 100.00% | 2.33% | 43 | 84.31% |
| 2 Correctable to 20/70 in one eye, may be blind in other | 8 | 16.00% | 100.00% | | | | 8 | 15.69% |
| Total Reported | 50 | 100% | 98.04% | 1 | 100% | 1.96% | 51 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 50 | 0 | 50 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|--|--|--|
| Mode (most frequent) | 1 Correctable to 20/40 in both eyes | 1 Correctable to 20/40 in both eyes | 1 Correctable to 20/40 in both eyes |
|-----------------------------|--|--|--|

Under Death Sentence

Produced for **General Distribution**

PULHESDWIT medical scale - 'S' pSychiatric

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| 'S' pSychiatric | Male | | | Female | | | Total | |
|---|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 No impairment or disorders | 32 | 54.24% | 100.00% | | | | 32 | 53.33% |
| 2 Stable, or in remission, or mild impairment or retardation | 21 | 35.59% | 95.45% | 1 | 100.00% | 4.55% | 22 | 36.67% |
| 3 Requires moderate inpatient treatment | 3 | 5.08% | 100.00% | | | | 3 | 5.00% |
| 4 Requires intensive inpatient treatment | 1 | 1.69% | 100.00% | | | | 1 | 1.67% |
| 5 Requires Crisis Stabilization Unit (CSU) inpatient care | 2 | 3.39% | 100.00% | | | | 2 | 3.33% |
| Total Reported | 59 | 100% | 98.33% | 1 | 100% | 1.67% | 60 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 41 | 0 | 41 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-------------------------------------|---|-------------------------------------|
| Mode (most frequent) | 1 No impairment or disorders | 2 Stable, or in remission, or mild impairment or retardation | 1 No impairment or disorders |
|-----------------------------|-------------------------------------|---|-------------------------------------|

Under Death Sentence

Produced for **General Distribution**

PULHESDWIT medical scale - 'D' dental

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| 'D' Dental | Male | | | Female | | | Total | |
|--|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Minimal routine dental health needs | 24 | 52.17% | 96.00% | 1 | 100.00% | 4.00% | 25 | 53.19% |
| 2 Moderate cavities and/or gum disease | 17 | 36.96% | 100.00% | | | | 17 | 36.17% |
| 3 Extensive gum disease and/or widespread decay | 5 | 10.87% | 100.00% | | | | 5 | 10.64% |
| Total Reported | 46 | 100% | 97.87% | 1 | 100% | 2.13% | 47 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 54 | 0 | 54 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|--|--|--|
| Mode (most frequent) | 1 Minimal routine dental health needs | 1 Minimal routine dental health needs | 1 Minimal routine dental health needs |
|-----------------------------|--|--|--|

Under Death Sentence

Produced for **General Distribution**

PULHESDWIT medical scale - 'W' work ability

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| 'W' work ability | Male | | | Female | | | Total | |
|---|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Unrestricted work or activity | 46 | 92.00% | 97.87% | 1 | 100.00% | 2.13% | 47 | 92.16% |
| 2 Minor restrictions on type of work | 4 | 8.00% | 100.00% | | | | 4 | 7.84% |
| Total Reported | 50 | 100% | 98.04% | 1 | 100% | 1.96% | 51 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 50 | 0 | 50 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|--|--|--|
| Mode (most frequent) | 1 Unrestricted work or activity | 1 Unrestricted work or activity | 1 Unrestricted work or activity |
|-----------------------------|--|--|--|

Under Death Sentence

Produced for **General Distribution**

PULHESDWIT medical scale - 'I' impairment

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| 'I' Impairment | Male | | | Female | | | Total | |
|---|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 No impairments or disabilities | 50 | 100.00% | 98.04% | 1 | 100.00% | 1.96% | 51 | 100.00% |
| Total Reported | 50 | 100% | 98.04% | 1 | 100% | 1.96% | 51 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 50 | 0 | 50 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|---|---|---|
| Mode (most frequent) | 1 No impairments or disabilities | 1 No impairments or disabilities | 1 No impairments or disabilities |
|-----------------------------|---|---|---|

Under Death Sentence

Produced for **General Distribution**

PULHESDWIT medical scale - 'T' transportability

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| 'T' Transportability | Male | | | Female | | | Total | |
|--|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Can be transported in any ordinary approved vehicle | 50 | 100.00% | 98.04% | 1 | 100.00% | 1.96% | 51 | 100.00% |
| Total Reported | 50 | 100% | 98.04% | 1 | 100% | 1.96% | 51 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 50 | 0 | 50 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|--|--|--|
| Mode (most frequent) | 1 Can be transported in any ordinary approved vehicle | 1 Can be transported in any ordinary approved vehicle | 1 Can be transported in any ordinary approved vehicle |
|-----------------------------|--|--|--|

Under Death Sentence

Produced for **General Distribution**

Criminality in family, self-reported

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Criminality In Family | Male | | | Female | | | Total | |
|-----------------------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Yes, criminality in family | 34 | 35.42% | 100.00% | | | | 34 | 35.05% |
| No criminality in family | 62 | 64.58% | 98.41% | 1 | 100.00% | 1.59% | 63 | 64.95% |
| Total Reported | 96 | 100% | 98.97% | 1 | 100% | 1.03% | 97 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 4 | 0 | 4 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|---------------------------------|---------------------------------|---------------------------------|
| Mode (most frequent) | No criminality in family | No criminality in family | No criminality in family |
|-----------------------------|---------------------------------|---------------------------------|---------------------------------|

Under Death Sentence

Produced for **General Distribution**

Alcoholism in family, self-reported

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Alcoholism In Family | Male | | | Female | | | Total | |
|----------------------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Yes, alcoholism in family | 32 | 33.33% | 100.00% | | | | 32 | 32.99% |
| No alcoholism in family | 64 | 66.67% | 98.46% | 1 | 100.00% | 1.54% | 65 | 67.01% |
| Total Reported | 96 | 100% | 98.97% | 1 | 100% | 1.03% | 97 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 4 | | | 0 | | | 4 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|
| Mode (most frequent) | No alcoholism in family | No alcoholism in family | No alcoholism in family |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|

Under Death Sentence

Produced for **General Distribution**

Drug abuse in family, self-reported

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Drug Abuse In Family | Male | | | Female | | | Total | |
|----------------------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Yes, drug abuse in family | 11 | 11.46% | 100.00% | | | | 11 | 11.34% |
| No drug abuse in family | 85 | 88.54% | 98.84% | 1 | 100.00% | 1.16% | 86 | 88.66% |
| Total Reported | 96 | 100% | 98.97% | 1 | 100% | 1.03% | 97 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 4 | | | 0 | | | 4 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|
| Mode (most frequent) | No drug abuse in family | No drug abuse in family | No drug abuse in family |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|

Under Death Sentence

Produced for **General Distribution**

Subjected to frequent beatings, self-reported

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Frequent beatings | Male | | | Female | | | Total | |
|-------------------------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Yes, subjected to frequent beatings | 19 | 19.79% | 100.00% | | | | 19 | 19.59% |
| Not subjected to frequent beatings | 77 | 80.21% | 98.72% | 1 | 100.00% | 1.28% | 78 | 80.41% |
| Total Reported | 96 | 100% | 98.97% | 1 | 100% | 1.03% | 97 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 4 | 0 | 4 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|---|---|---|
| Mode (most frequent) | Not subjected to frequent beatings | Not subjected to frequent beatings | Not subjected to frequent beatings |
|-----------------------------|---|---|---|

Under Death Sentence

Produced for **General Distribution**

Father absent during inmate's childhood

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Father Absent | Male | | | Female | | | Total | |
|----------------------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Yes, father was absent | 33 | 34.38% | 97.06% | 1 | 100.00% | 2.94% | 34 | 35.05% |
| No, father was not absent | 63 | 65.63% | 100.00% | | | | 63 | 64.95% |
| Total Reported | 96 | 100% | 98.97% | 1 | 100% | 1.03% | 97 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 4 | | | 0 | | | 4 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | |
|-----------------------------|----------------------------------|-------------------------------|----------------------------------|
| Mode (most frequent) | No, father was not absent | Yes, father was absent | No, father was not absent |
|-----------------------------|----------------------------------|-------------------------------|----------------------------------|

Under Death Sentence

Produced for **General Distribution**

Mother absent during inmate's childhood

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Mother Absent | Male | | | Female | | | Total | |
|----------------------------------|--------------|--------------|---------------|---------------|--------------|--------------|--------------|--------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Yes, mother was absent | 8 | 8.33% | 100.00% | | | | 8 | 8.25% |
| No, mother was not absent | 88 | 91.67% | 98.88% | 1 | 100.00% | 1.12% | 89 | 91.75% |
| Total Reported | 96 | 100% | 98.97% | 1 | 100% | 1.03% | 97 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 4 | | | 0 | | | 4 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | |
|-----------------------------|----------------------------------|----------------------------------|----------------------------------|
| Mode (most frequent) | No, mother was not absent | No, mother was not absent | No, mother was not absent |
|-----------------------------|----------------------------------|----------------------------------|----------------------------------|

Under Death Sentence

Produced for **General Distribution**

Inmate diagnosed as manipulative

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Manipulative | Male | | | Female | | | Total | |
|-----------------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Yes, manipulative | 4 | 4.12% | 100.00% | | | | 4 | 4.08% |
| No, not manipulative | 93 | 95.88% | 98.94% | 1 | 100.00% | 1.06% | 94 | 95.92% |
| Total Reported | 97 | 100% | 98.98% | 1 | 100% | 1.02% | 98 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 3 | | | 0 | | | 3 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | |
|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Mode (most frequent) | No, not manipulative | No, not manipulative | No, not manipulative |
|-----------------------------|-----------------------------|-----------------------------|-----------------------------|

Under Death Sentence

Produced for **General Distribution**

Inmate diagnosed as assaultive

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| | Male | | | Female | | | Total | |
|---------------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Assaultive | | | | | | | | |
| Yes, assaultive | 59 | 60.82% | 100.00% | | | | 59 | 60.20% |
| No, not assaultive | 38 | 39.18% | 97.44% | 1 | 100.00% | 2.56% | 39 | 39.80% |
| Total Reported | 97 | 100% | 98.98% | 1 | 100% | 1.02% | 98 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 3 | | | 0 | | | 3 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | |
|-----------------------------|------------------------|---------------------------|------------------------|
| Mode (most frequent) | Yes, assaultive | No, not assaultive | Yes, assaultive |
|-----------------------------|------------------------|---------------------------|------------------------|

Under Death Sentence

Produced for **General Distribution**

Number of prior Georgia incarcerations

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Num of Prior GA Incarcerations | Male | | | Female | | | Total | |
|--------------------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 0 | 64 | 64.00% | 98.46% | 1 | 100.00% | 1.54% | 65 | 64.36% |
| 1 | 19 | 19.00% | 100.00% | | | | 19 | 18.81% |
| 2 | 10 | 10.00% | 100.00% | | | | 10 | 9.90% |
| 3 | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| 4 | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| More Than 5 | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | | | | | | |
|-----------------------------|------------|--|--|----------|--|--|------------|--|
| Mean (average) | .65 | | | | | | .64 | |
| Median (middle) | 0 | | | 0 | | | 0 | |
| Mode (most frequent) | 0 | | | 0 | | | 0 | |

Under Death Sentence

Produced for **General Distribution**

Prison sentence in years

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Prison Sentence In Years | Male | | | Female | | | Total | |
|--------------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Death | 100 | 100.00% | 99.01% | 1 | 100.00% | 0.99% | 101 | 100.00% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | | | | | | |
|--------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | 100 | | | 1 | | | 101 | |

Determinate (numeric) sentences only

| | | | | | | | | |
|----------------|--|--|--|--|--|--|--|--|
| Mean (average) | | | | | | | | |
|----------------|--|--|--|--|--|--|--|--|

All sentences (including determinate), with life, life without parole, and death sentences figured at 45 years

| | | | | | | | | |
|----------------|----|--|--|----|--|--|----|--|
| Mean (average) | 45 | | | 45 | | | 45 | |
|----------------|----|--|--|----|--|--|----|--|

Under Death Sentence

Produced for **General Distribution**

Primary offense, broken out into felonies vs misdemeanors

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Felonies and Misdemeanors | Male | | | Female | | | Total | |
|---------------------------|------------|-------------|---------------|----------|-------------|-------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Felonies | 100 | 100.00% | 99.01% | 1 | 100.00% | .99% | 101 | 100.00% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | .99% | 101 | 100% |

| | | | |
|---------------------|------------|------------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 100 | 101 |

| | | | |
|-----------------------------|-----------------|-----------------|-----------------|
| Mode (most frequent) | Felonies | Felonies | Felonies |
|-----------------------------|-----------------|-----------------|-----------------|

Under Death Sentence

Produced for **General Distribution**

Primary offense, broken out into six broad crime categories

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Crime Categories | Male | | | Female | | | Total | |
|-----------------------|------------|-------------|---------------|----------|-------------|-------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Violent | 100 | 100.00% | 99.01% | 1 | 100.00% | .99% | 101 | 100.00% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | .99% | 101 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | | | | | | |
|-----------------------------|----------------|--|--|----------------|--|--|----------------|--|
| Mode (most frequent) | Violent | | | Violent | | | Violent | |
|-----------------------------|----------------|--|--|----------------|--|--|----------------|--|

Under Death Sentence

Produced for **General Distribution**

Primary offense, detailed offense code

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Primary Offense | Male | | | Female | | | Total | |
|------------------------|------------|-------------|---------------|----------|-------------|-------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1101 Murder | 99 | 99.00% | 99.00% | 1 | 100.00% | 1.00% | 100 | 99.01% |
| 1311 Kidnapping | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| Total Rported | 100 | 100% | 99.01% | 1 | 100% | .99% | 101 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | 100 | | | 1 | | | 101 | |

| | | | | | | | | |
|-----------------------------|--------------------|--|--|--------------------|--|--|--------------------|--|
| Mode (most frequent) | 1101 Murder | | | 1101 Murder | | | 1101 Murder | |
|-----------------------------|--------------------|--|--|--------------------|--|--|--------------------|--|

Under Death Sentence

Produced for **General Distribution**

County of conviction of primary offense

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| County of Conviction | Male | | | Female | | | Total | |
|----------------------|-------|--------|---------|--------|---------|--------|-------|-------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 Appling | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 3 Bacon | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 5 Baldwin | 5 | 5.00% | 100.00% | | | | 5 | 4.95% |
| 8 Bartow | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 17 Burke | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 20 Camden | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 24 Charlton | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 25 Chatham | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| 31 Clayton | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| 33 Cobb | 10 | 10.00% | 100.00% | | | | 10 | 9.90% |
| 34 Coffee | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 40 Crisp | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 42 Dawson | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 44 DeKalb | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 45 Dodge | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 47 Dougherty | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 48 Douglas | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| 49 Early | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 52 Elbert | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 57 Floyd | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| 60 Fulton | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| 63 Glynn | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 64 Gordon | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 67 Gwinnett | 2 | 2.00% | 66.67% | 1 | 100.00% | 33.33% | 3 | 2.97% |
| 69 Hall | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 72 Harris | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 75 Henry | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 76 Houston | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 78 Jackson | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 81 Jefferson | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 84 Jones | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 87 Laurens | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 93 Lumpkin | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 94 Macon | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 102 Monroe | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 104 Morgan | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 105 Murray | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 106 Muscogee | 5 | 5.00% | 100.00% | | | | 5 | 4.95% |

Under Death Sentence

Produced for **General Distribution**

County of conviction of primary offense

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| County of Conviction | Male | | | Female | | | Total | |
|----------------------|------------|-------------|---------------|----------|-------------|-------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 107 Newton | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 110 Paulding | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 113 Pierce | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 121 Richmond | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 126 Spalding | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 136 Thomas | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 138 Toombs | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 139 Towns | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| 146 Walker | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 147 Walton | 1 | 1.00% | 100.00% | | | | 1 | .99% |
| Total Rported | 100 | 100% | 99.01% | 1 | 100% | .99% | 101 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|-------------|-----------------|-------------|
| Mode (most frequent) | Cobb | Gwinnett | Cobb |
|-----------------------------|-------------|-----------------|-------------|

Under Death Sentence

Produced for **General Distribution**

Circuit of conviction of primary offense

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Circuit of Conviction | Male | | | Female | | | Total | |
|-----------------------|-------|-------|-------|--------|-------|-------|-------|-------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Total Rported | | | | | | | | |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 100 | | | 1 | | | 101 | |
| Grand Total | | | | | | | | |

| | | | | | | | | |
|-----------------------------|-------------|--|--|-------------|--|--|-------------|--|
| Mode (most frequent) | Null | | | Null | | | Null | |
|-----------------------------|-------------|--|--|-------------|--|--|-------------|--|

Under Death Sentence

Produced for **General Distribution**

Years served (jail + prison) in this incarceration

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Years Served | Male | | | Female | | | Total | |
|-----------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| 1 to 1.99 years | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 2 to 2.99 years | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 3 to 3.99 years | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 4 to 4.99 years | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 5 to 5.99 years | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 7 to 7.99 years | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 8 to 8.99 years | 5 | 5.00% | 100.00% | | | | 5 | 4.95% |
| 9 to 9.99 years | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 10 to 10.99 years | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| 11 to 11.99 years | 5 | 5.00% | 100.00% | | | | 5 | 4.95% |
| 12 to 12.99 years | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 13 to 13.99 years | 6 | 6.00% | 85.71% | 1 | 100.00% | 14.29% | 7 | 6.93% |
| 14 to 14.99 years | 7 | 7.00% | 100.00% | | | | 7 | 6.93% |
| 15 to 15.99 years | 10 | 10.00% | 100.00% | | | | 10 | 9.90% |
| 16 to 16.99 years | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| 17 to 17.99 years | 4 | 4.00% | 100.00% | | | | 4 | 3.96% |
| 18 to 18.99 years | 5 | 5.00% | 100.00% | | | | 5 | 4.95% |
| 19 to 19.99 years | 2 | 2.00% | 100.00% | | | | 2 | 1.98% |
| 20 to 20.99 years | 9 | 9.00% | 100.00% | | | | 9 | 8.91% |
| 21 to 21.99 years | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 22 to 22.99 years | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 23 to 23.99 years | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 24 to 24.99 years | 3 | 3.00% | 100.00% | | | | 3 | 2.97% |
| 25 to 25.99 years | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 26 to 26.99 years | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 28 to 28.99 years | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| 29 to 29.99 years | 1 | 1.00% | 100.00% | | | | 1 | 0.99% |
| Thirty + years | 6 | 6.00% | 100.00% | | | | 6 | 5.94% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | |
|---------------------|------------|----------|------------|
| Not Reported | 0 | 0 | 0 |
| Grand Total | 100 | 1 | 101 |

| | | | |
|-----------------------------|--------------------------|--------------------------|--------------------------|
| Mean (average) | 16.32 | 13.77 | 16.3 |
| Median (middle) | 15.785 | 13.77 | 15.74 |
| Mode (most frequent) | 14 to 14.99 years | 13 to 13.99 years | 14 to 14.99 years |

Under Death Sentence

Produced for **General Distribution**

Results of most recent HIV tests

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| HIV Test Results | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Positive | 1 | 1.06% | 100.00% | | | | 1 | 1.05% |
| Negative | 93 | 98.94% | 98.94% | 1 | 100.00% | 1.06% | 94 | 98.95% |
| Total Reported | 94 | 100% | 98.95% | 1 | 100% | 1.05% | 95 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 6 | | | 0 | | | 6 | |
| Grand Total | 100 | | | 1 | | | 101 | |

Under Death Sentence

Produced for **General Distribution**

Results of most recent tuberculosis test

COL % - percent each COUNT is of its particular column

ROW % - percent each COUNT is of its particular row

| Tuberculosis Test Results | Male | | | Female | | | Total | |
|---------------------------------|------------|-------------|---------------|----------|-------------|--------------|------------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Positive on current test | 28 | 28.00% | 100.00% | | | | 28 | 27.72% |
| Negative | 72 | 72.00% | 98.63% | 1 | 100.00% | 1.37% | 73 | 72.28% |
| Total Reported | 100 | 100% | 99.01% | 1 | 100% | 0.99% | 101 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 0 | | | 0 | | | 0 | |
| Grand Total | 100 | | | 1 | | | 101 | |

Under Death Sentence

Produced for **General Distribution**

Results of most recent syphilis test

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Syphilis Test Results | Male | | | Female | | | Total | |
|-----------------------|-----------|-------------|---------------|----------|-------------|--------------|-----------|-------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Negative | 78 | 100.00% | 98.73% | 1 | 100.00% | 1.27% | 79 | 100.00% |
| Total Reported | 78 | 100% | 98.73% | 1 | 100% | 1.27% | 79 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 22 | | | 0 | | | 22 | |
| Grand Total | 100 | | | 1 | | | 101 | |

Under Death Sentence

Produced for **General Distribution**

Results of most recent Hepatitis-C test

COL % - percent each COUNT is of its particular column ROW % - percent each COUNT is of its particular row

| Hepatitis-C Test Results | Male | | | Female | | | Total | |
|---------------------------------|--------------|--------------|----------------|---------------|--------------|--------------|--------------|--------------|
| | Count | Col % | Row % | Count | Col % | Row % | Total | Col % |
| Negative | 1 | 100.00% | 100.00% | | | | 1 | 100.00% |
| Total Reported | 1 | 100% | 100.00% | | % | 0.00% | 1 | 100% |

| | | | | | | | | |
|---------------------|------------|--|--|----------|--|--|------------|--|
| Not Reported | 99 | | | 1 | | | 100 | |
| Grand Total | 100 | | | 1 | | | 101 | |